

FROM THE ARCHIATOR: More Protection from Radiation



Dr. Thomas
S. Lee,
NMD, APH

Dr. Tom Lee, Church Archiator, has submitted for publication the following open letter from dairy farmers on the Big Island of Hawaii that shares some solutions for working with radiation problems in milk. This letter augments the suggestions Dr. Lee made in his April 8, 2011, letter, published in the Communiqué.

Aside from the much recognized supplement potassium iodine as a protection against radioactive iodine, there are a number of ways we can help. We have remembered our friend, elemental boron and the position it plays on the earth. Boron is the only mineral capable of accepting and ionizing radiation that never changes the innards or the nucleus of the cell. Spoken simply, boron can take radiation and release it without upsetting its own very delicate balance.

Boron is used extensively in the nuclear industry. Sodium borate is regularly used for standby liquid control systems, in case of emergencies. It was used in Chernobyl in 1986 mixed with sand to prevent further radiation leakage. It was also used in 1999 in Tokaimura, Japan, to absorb the massive amounts of radiation after an accident at a plant. Currently it is being dumped on fuel rods and in surrounding waters of the Fukushima plant. Boron is widely recognized as extremely safe and can be used to capture radioactivity on our soils, gardens, orchards, etc. It also can be safely ingested by humans and animals. Boron will accept radiation and ionize it within our bodies, after which our bodies will safely excrement the boron and radioactivity.

We have begun feeding our cows and goats sodium borate at milking times, as well as adding it to free choice kelp and water troughs. In the past years we have monitored boron and other minerals in the soil and have added as necessary to bring levels up to recognized healthy levels. As a safety measure we are planning to implement a boron dosage to all of our pastures, as well as neighboring pastures. For humans, boron can safely ingested at a dosage of 4-10 mg per day. Borax,

11{1fa2ef75e2e78439128d99df03acfe1d8ee3047374abe3d4676fe3470ff8b909} boron, can be used as a tea and sprayed on your gardens, or land surrounding your home, at a rate of 10# of Borax per acre, 1#, if using elemental boron. Borax can also be ingested at 1/8 tsp to 1 litre water for women, $\frac{1}{4}$ tsp to 1

litre water for men. Fortunately, red wine and coffee are significant sources of boron, as well as non-citrus fruits, red grapes, plums, pears, apples, avocados, legumes and nuts! Boron is known to be non-carcinogenic, non-mutagenic and has been used internally to protect the astronauts in space as they leave the earth's protective magnetic field.

Other things we can do to protect our bodies are to consume zeolites, use potassium iodine, receive plenty of glutathione, the best source of which is whey!, eat plenty of supergreens, such as kale, but including chlorella and spirulina, maintain healthy mineral levels, and eat lots of good healthy fats, including raw butter, and coconuts, which offer a fantastic layer of protection for our cells. Baking soda has been known to diminish the severity of change produced by uranium to the kidneys, which are the first to show radiation damages of uranium. Dosage is 1 tsp to 8 oz water for adults and $\frac{1}{4}$ tsp in 4 oz water for children.

According to Cheryl McCoy, Aboutclay.com, Calcium Bentonite Clay acts as a magnet absorbing anything with a positive charge, ie radiation and toxicity. She suggests washing all produce which may be considered radioactive in 1 part clay to 8 parts water in a non-metallic bowl, soaking for 10 minutes, then rinse and dry as usual. Bentonite clay can be added to catchment tanks, drinking water or raw milk to isolate radioactivity, which will not be released once captured by clay. Also, the body cannot digest clay, but will rather release clay through excrement. Clay can be added to milk or drinking water at a dosage of 1 oz liquid calcium bentonite to 1 gallon raw milk or drinking water. Either allow to settle and pour off or mix and consume clay and liquid. 1-2 oz liquid bentonite clay can be safely consumed per day by an adult, with significant detox abilities.

In these tenuous times it is all we can do to be honestly informed of the situation at hand and act accordingly. We are doing our best to protect our soil, animals and bodies from

the elevated levels of radioactivity, and hope that you will also. Our prayers and blessings are with the farmers and families closer to the source of radioactive pollution. We send them our love and hopes for a green, safe future for all on this earth.

Blessings,

Britton & Shekinah

Milk and Honey Farm

Pahoa, Big Island Hawaii